



# NACHURS® 10% Boron PREMIUM LIQUID MICRONUTRIENT



### NUTRIENTS SUPPLIED (pounds per gallon):

Boron (B)..... 1.12

Derived from: Boric acid.

Micronutrient for the prevention and correction of micronutrient deficiency.

### PRODUCT PROPERTIES:

**Analysis:** 10B  
**Weight:** 11.2 lbs. per gallon  
**Specific gravity:** 1.32 - 1.36 kg/L  
**pH:** 7.6 - 8.4  
**Appearance:** clear to slight yellow  
**Odor:** mild odor

### GENERAL PRODUCT INFORMATION:

NACHURS® 10% Boron micronutrients are intended for use in a complete crop nutritional program where a soil and/or plant tissue analysis has indicated a boron deficiency. NACHURS® 10% Boron micronutrients may be applied with NACHURS liquid fertilizers, other liquid fertilizers, fertilizer suspensions, nitrogen solutions, or water. **Do NOT apply boron in seed-placed starter fertilizer for corn, soybeans, dry beans, small grains, grasses, cucumbers, and peas.**

**FIRST AID:** Please see SDS sheet for more information, call (800) 622-4877 or visit us online at [www.nachurs.com](http://www.nachurs.com).

CAUTION: BORON IS TO BE USED WHERE SOIL TEST AND/OR TISSUE ANALYSIS INDICATE A DEFICIENCY AND SHOULD NOT BE USED AT RATES IN EXCESS OF THE RATE RECOMMENDED BY A QUALIFIED INDIVIDUAL/ENTITY SUCH AS A CERTIFIED CROP ADVISOR, AGRONOMIST OR UNIVERSITY. EXCESSIVE APPLICATION OF BORON MAY CAUSE CROP DAMAGE.

KEEP OUT OF REACH OF CHILDREN.

WARNING: DO NOT STORE BELOW 32 DEGREES.

\*THESE ARE GENERAL PRODUCT RECOMMENDATIONS. PLEASE CONSULT WITH YOUR AUTHORIZED NACHURS DISTRIBUTOR OR AGRONOMIST FOR SPECIFIC FERTILITY RECOMMENDATIONS. THESE RECOMMENDATIONS ARE BELIEVED TO BE RELIABLE AND SHOULD BE FOLLOWED CAREFULLY. FAILURE TO FOLLOW LABEL DIRECTIONS OR IMPROPER APPLICATION PRACTICES, ALL OF WHICH ARE OUT OF CONTROL OF THE MANUFACTURER OR SELLER, CAN RESULT IN PLANT OR LEAF DAMAGE. CROP INJURY MAY RESULT FROM UNUSUAL WEATHER CONDITIONS, FAILURE TO FOLLOW LABEL DIRECTIONS, OR IMPROPER APPLICATION PRACTICES ALL OF WHICH ARE OUT OF CONTROL OF NACHURS.

SELLER WARRANTS THAT THE ABOVE PRODUCT CONFORMS TO ITS CHEMICAL DESCRIPTION AND IS REASONABLY FIT FOR THE PURPOSE ON THE LABEL WHEN USED IN ACCORDANCE WITH DIRECTIONS UNDER NORMAL CONDITIONS OF USE (INCLUDING NORMAL WEATHER CONDITIONS). NEITHER THIS WARRANTY NOR ANY OTHER WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXPRESS OR IMPLIED, EXTENDS TO THE USE OF THIS PRODUCT WHEN USED CONTRARY TO THE LABEL INSTRUCTIONS OR UNDER ABNORMAL CONDITIONS (INCLUDING ABNORMAL WEATHER CONDITIONS), AND THE BUYER ASSUMES THE RISK OF ANY SUCH USE. NACHURS STARTER OR FOLIAR APPLICATIONS ARE INTENDED TO SUPPLEMENT EXISTING SOIL FERTILITY PROGRAMS AND WILL NOT BY ITSELF PROVIDE ALL THE NUTRIENTS NORMALLY REQUIRED BY AGRICULTURAL CROPS.

© 2019. NACHURS ALPINE SOLUTIONS. All rights reserved. "NACHURS" is a trademark of NACHURS ALPINE SOLUTIONS.

### APPLICATION RATES\* (PINTS PER ACRE):

Crops:	Foliar	Banded	Broadcast
Small grains, peanuts, cotton, canola, flax, soybeans, sugar cane	1-2 pts.	2-5 qts.	.50 to 1 gals.
Beets, carrots, cucumbers, potatoes, peas, beans, corn, apples, peppers, tomatoes	1-2 pts.	1-2 qts.	1-2 gals.
Clover, cherries, citrus, pears, grapes	1-3 pts.	2-3 qts.	1-2 gals.
Broccoli, cauliflower, celery, melons, plums, peaches, alfalfa, sugar beets	1-3 pts.	2-4 qts.	1-2 gals.

Note: Do NOT apply NACHURS® 10% Boron micronutrients in transplant water.

Banded & foliar recommendations are intended to provide starter application of boron for the current year crop and are not expected to correct severe boron deficiencies. Additional banded or foliar applications may be necessary to correct severe deficiencies. Banded generally refers to 2" to the side and 2" below the seed and is usually applied during planting.

### FOLIAR FEEDING GENERAL GUIDELINES\*:

**For all the above crops including tree fruits, citrus, small fruits, and ornamentals:**  
1-2 pints/a in minimum 10 gallons of water

**Aerial:**  
1-2 pints/a in minimum 5 gallons of water

NACHURS liquid fertilizer may be used as a carrier at 3-5 gallons per acre. More than one application may be required for severe deficiency.

NOTE: Foliar fertilization is intended as a supplement to a regular fertilization program and will not by itself provide all the nutrients normally required by agricultural crops.

NACHURS chelated micronutrients may be used in most fertility programs via commonly utilized application methods. They are an effective micronutrient source where deficiency conditions exist as indicated by a soil test, tissue analysis, and/or visual appearance. Optimum rate of application will vary between fields depending on soil pH and organic matter content.

### MIXING INSTRUCTIONS:

1. Put 1/3 of water or fertilizer in tank
2. Add other chemicals (if applicable)
3. Fill tank with balance of water or fertilizer
4. Add correct amount of product (shake each container vigorously before use)
5. Agitate adequately to mix

Caution: Check compatibility with orthophosphates, high potash suspensions, and chemical mixtures.

visit us online: [www.nachurs.com](http://www.nachurs.com)



NACHURS® MICRONUTRIENTS PROVIDE AN ECONOMICAL SOURCE FOR CORRECTING NUTRIENT DEFICIENCIES AND IMPROVING PLANT HEALTH.